
# Barts Cancer Institute Ablative Therapy (CANM905) No. of responses = 16 (72.73%)






### Barts Cancer Institute CANM907 Biological Therapies

No. of responses = 18






## Barts Cancer Institute CANM912 Cancer Prevention and Screening


No. of responses = 26






# Barts Cancer Institute Drug Development (CANM906) No. of responses = 14 (73.68%)





### Barts Cancer Institute Endoscopy Skills (CAN7006) No. of responses = 7 (70%)






#### **Barts Cancer Institute**

Laparoscopic Procedure Skills (Cholecystectomy) (CAN7005) No. of responses = 7 (70%)





#### **Barts Cancer Institute**

Paediatric and Adolescent Oncology (CANM911) No. of responses = 11 (73.33%)



#### Survey Results Legend Relative Frequencies of answers Median Mean 0% 0% n=No. of responses av.=Mean md=Median dev.=Std. Dev. ab.=Abstention Question text Right pole Left pole Scale Histogram Quality index Mean value is below the Mean is within the range of Mean value is within the Description of quality symbol Mean value is ac quality guideline. tolerance for the quality quality guideline. guideline. 1. Rate this module 36 4% 0% 18 2% 0% 1.1) The module is well taught Definitely agree Definitely disagree av.=4.27 md=4 dev.=0.79 54.5% 9.1% 0% 0% n=11 av.=4.27 md=4 dev.=0.65 The criteria used in marking on the module have Definitely agree Definitely disagree been made clear in advance 36.4% 18.2% I have been given adequate feedback during the n=11 av.=4.27 md=4 dev.=0.79 Definitely agree Definitely disagree module 63.6% 9.1% 0% 0% 27.3% n=11 av.=4.18 md=4 I have received sufficient advice and support with Definitely agree Definitely disagree my studies on the module dev = 0.63 63.6% 36.4% 0% 0% 0% n=11 av.=4.64 md=5 dev.=0.5 The module is well organised and runs smoothly Definitely agree Definitely disagree 1 45.5% 54.5% 0% 0% 0% 1.6) I had access to good learning resources for the n=11 Definitely agree Definitely disagree av.=4.45 md=4 dev.=0.52 module 36.4% 63.6% 0% n=11 av.=4.64 md=5 dev.=0.5 Overall I am satisfied with the quality of the Definitely agree Definitely disagree : module

#### **Barts Cancer Institute**

Site Specific Tumour Treatment (CANM904) No. of responses = 13 (76.47%)



#### Survey Results Legend Relative Frequencies of answers Median Mean 0% 0% n=No. of responses av.=Mean md=Median dev.=Std. Dev. ab.=Abstention Question text Right pole Left pole Scale Histogram Quality index Mean value is below the Mean is within the range of Mean value is within the Description of quality symbol Mean value is ac quality guideline. tolerance for the quality quality guideline. guideline. 1. Rate this module 61.5% 38.5% 0% 0% 0% 1.1) The module is well taught Definitely agree \* Definitely disagree av.=4.62 md=5 dev.=0.51 41.7% 50% 8.3% 0% 0% n=12 av.=4.42 md=4.5 dev.=0.67 The criteria used in marking on the module have Definitely agree Definitely disagree been made clear in advance 30% 40% 0% I have been given adequate feedback during the n=10 av.=3.9 md=4 dev.=0.88 Definitely agree Definitely disagree module ĕ 0% 0% 66.7% 0% 33.3% I have received sufficient advice and support with n=12 av.=4.33 md=4 Definitely agree Definitely disagree my studies on the module dev = 0.4953.8% 0% 0% 0% 46.2% n=13 av.=4.46 md=4 dev.=0.52 The module is well organised and runs smoothly Definitely agree Definitely disagree 50% 8.3% 0% 0% 1.6) I had access to good learning resources for the n=12 Definitely agree Definitely disagree av.=4.33 md=4 dev.=0.65 module 58.3% 0% n=12 av.=4.42 md=4 dev.=0.51 Overall I am satisfied with the quality of the Definitely agree Definitely disagree module