
Diagnosis and Treatment Planning 1 (DIN7105) No. of responses = 6 (100%)



Survey Results Legend Relative Frequencies of answers Median Mean 0% 0% n=No. of responses av.=Mean md=Median dev.=Std. Dev. ab.=Abstention Question text Right pole Left pole Scale Histogram Quality index Mean value is below the Mean is within the range of Mean value is within the Description of quality symbol Mean value is be quality guideline. tolerance for the quality quality guideline. guideline. 1. Rate this module 33.3% 0% 16 7% 50% 0% 1.1) The module is well taught n=6 av.=3.83 md=4 dev.=0.75 Definitely agree Definitely disagree 66.7% 16.7% 0% 16.7% n=6 av.=3.5 md=3 dev.=0.84 The criteria used in marking on the module have Definitely agree Definitely disagree been made clear in advance ĕ 66.7% 33.3% I have been given adequate feedback during the n=6 av.=3.67 md=4 dev.=0.52 Definitely agree 1 Definitely disagree module ĕ 50% 0% 33.3% 0% 16.7% I have received sufficient advice and support with n=6 av.=3.83 md=4 dev.=0.75 Definitely agree Definitely disagree my studies on the module 50% 0% 0% n=6 av.=3.5 md=3.5 dev.=0.55 The module is well organised and runs smoothly Definitely agree Definitely disagree Õ 0% 20% 80% 0% 0% I had access to good learning resources for the n=5 av.=3.2 md=3 dev.=0.45 Definitely agree Definitely disagree • module ĕ 33.3% 66.7% n=6 av.=3.67 md=4 dev.=0.52 Overall I am satisfied with the quality of the Definitely agree Definitely disagree ▣ module ě


Techniques in Cell and Molecular Biology (DIN7022) No. of responses = 12 (100%)





Institute of Dentistry Cellular Pathology (DIN7024) No. of responses = 11 (110%)





Oral Pathology and Microbiology (DIN7026) No. of responses = 13 (130%)



Survey Results Legend Relative Frequencies of answers Median Mean 0% 0% n=No. of responses av.=Mean md=Median dev.=Std. Dev. ab.=Abstention Question text Right pole Left pole Scale Histogram Quality index Mean value is below the Mean is within the range of Mean value is within the Description of quality symbol Mean value is be quality guideline. tolerance for the quality quality guideline. guideline. 1. Rate this module 50% 0% 8.3% 1.1) The module is well taught n=12 av.=3.33 md=3 dev.=0.98 Definitely agree Definitely disagree 41.7% 16.7% 8.3% n=12 av.=3.08 md=3 dev.=1.08 The criteria used in marking on the module have Definitely agree Definitely disagree been made clear in advance ĕ 30.8% 15.4% I have been given adequate feedback during the n=13 av.=2.77 md=3 dev.=1.3 Definitely agree Definitely disagree module 5 38.5% 15.4% 7.7% 30.8% 7.7% I have received sufficient advice and support with n=13 av.=3.15 md=3 dev.=1.07 Definitely agree Definitely disagree my studies on the module 46.2% 23.1% n=13 av.=3.15 md=3 dev.=0.9 The module is well organised and runs smoothly Definitely agree Definitely disagree Õ 16.7% 16.7% 33.3% 16.7% 16.7% I had access to good learning resources for the n=12 Definitely agree Definitely disagree • av.=3 md=3 dev.=1.35 module ĕ 16.7% 33.3% 16.7% n=12 av.=3 md=3 dev.=1.28 Overall I am satisfied with the quality of the Definitely agree Definitely disagree • module ě

Institute of Dentistry Laboratory Techniques (DIN7027) No. of responses = 10 (100%)

module




ě

Survey Results Legend Relative Frequencies of answers Median Mean 0% 0% n=No. of responses av.=Mean md=Median dev.=Std. Dev. ab.=Abstention Question text Right pole Left pole Scale Histogram Quality index Mean value is below the Mean is within the range of Mean value is within the Description of quality symbol Mean value is ac quality guideline. tolerance for the quality quality guideline. guideline. 1. Rate this module 40% 40% 0% 0% 1.1) The module is well taught Definitely disagree Definitely agree av.=3.8 md=4 dev.=0.79 30% 50% 0% n=10 av.=3.7 md=3.5 dev.=0.82 The criteria used in marking on the module have Definitely agree Definitely disagree been made clear in advance ĕ 50% I have been given adequate feedback during the n=10 av.=3.7 md=3.5 dev.=0.82 Definitely agree Definitely disagree module ĕ 55.6% 22.2% 0% 0% 22.2% I have received sufficient advice and support with n=9 av.=3.67 md=3 dev.=0.87 Definitely agree Definitely disagree my studies on the module 3 40% 40% 0% 0% n=10 av.=3.8 md=4 dev.=0.79 The module is well organised and runs smoothly Definitely agree Definitely disagree Õ 30% 20% 50% 0% 0% I had access to good learning resources for the n=10 Definitely agree Definitely disagree • av.=3.8 md=3.5 dev.=0.92 module ĕ 55.6% n=9 av.=3.78 md=3 dev.=0.97 Overall I am satisfied with the quality of the Definitely agree Definitely disagree ▣

Principles of Clinical Issues in Dentistry (DIN7040) No. of responses = 6 (100%)







Health Education and Health Promotion (DIN7086) No. of responses = 6 (100%)












Institute of Dentistry Adhesive Dentistry (DIN7104) No. of responses = 6 (100%)





module

Management of Tooth Wear (DIN7106) No. of responses = 6 (100%)



Survey Results Legend Relative Frequencies of answers Median Mean 0% 0% n=No. of responses av.=Mean md=Median dev.=Std. Dev. ab.=Abstention Question text Right pole Left pole Scale Histogram Quality index Mean value is below the quality guideline. Mean is within the range of Mean value is within the Description of quality symbol tolerance for the quality quality guideline. guideline. 1. Rate this module 0% 16 7% 66.7% 16.7% 0% 1.1) The module is well taught n=6 Definitely disagree Definitely agree av.=4 md=4 dev.=0.63 50% 16.7% 16.7% 16.7% n=6 av.=3.33 md=3 dev.=1.03 The criteria used in marking on the module have Definitely agree Definitely disagree been made clear in advance ě 50% I have been given adequate feedback during the n=6 av.=3.5 md=3.5 dev.=0.55 Definitely agree Definitely disagree module ĕ 50% 16.7% 0% 0% 33.3% n=6 av.=4.17 md=4 I have received sufficient advice and support with Definitely agree Definitely disagree my studies on the module dev = 0.7533.3% 16.7% 0% 0% n=6 av.=4.33 md=4.5 dev.=0.82 The module is well organised and runs smoothly Definitely agree Definitely disagree 33.3% 50% 16.7% 0% 0% I had access to good learning resources for the n=6 Definitely agree Definitely disagree av.=4.17 md=4 dev.=0.75 module 16.7% n=6 av.=4.17 md=4 dev.=0.75 Overall I am satisfied with the quality of the Definitely agree Definitely disagree


Growth and Development (DIN7140) No. of responses = 7 (100%)



Survey Results

Legend

Question text



n=No. of responses av.=Mean md=Median dev.=Std. Dev. ab.=Abstention




Description of quality symbol


Mean value is below the quality guideline.

Mean is within the range of tolerance for the quality guideline.

Mean value is within the quality guideline.


1. Rate this module








The criteria used in marking on the module have been made clear in advance





I have been given adequate feedback during the module








I have received sufficient advice and support with my studies on the module








The module is well organised and runs smoothly








ě


I had access to good learning resources for the module







Overall I am satisfied with the quality of the module





n=7 av.=3 md=3 dev.=1 ◉ ě

Institute of Dentistry Malocclusion (DIN7141) No. of responses = 7 (100%)

Overall I am satisfied with the quality of the

module



Survey Results Legend Relative Frequencies of answers Median Mean 0% 0% n=No. of responses av.=Mean md=Median dev.=Std. Dev. ab.=Abstention Question text Left pole Right pole Scale Histogram Quality index Mean value is below the quality guideline. Mean is within the range of Mean value is within the Description of quality symbol tolerance for the quality quality guideline. guideline. 1. Rate this module 57 1% 42.9% 0% 0% 1.1) The module is well taught n=7 av.=3.57 md=4 dev.=0.53 Definitely agree Definitely disagree * 28.6% 0% 28.6% 42.9% n=7 av.=2.86 md=3 dev.=0.9 The criteria used in marking on the module have Definitely agree Definitely disagree been made clear in advance 42 9% 42.9% I have been given adequate feedback during the n=7 av.=3.29 md=3 dev.=0.76 Definitely agree Definitely disagree module 42.9% 0% 42.9% 14.3% 0% I have received sufficient advice and support with n=7 av.=3.29 md=3 dev.=0.76 Definitely agree Definitely disagree my studies on the module 57.1% 28.6% 14.3% n=7 av.=3.43 md=4 dev.=0.79 The module is well organised and runs smoothly Definitely agree Definitely disagree 1 Õ 0% 57.1% 28.6% 14.3% 0% I had access to good learning resources for the n=7 av.=3.43 md=4 dev.=0.79 Definitely agree Definitely disagree • module ĕ

Definitely agree

28.6%

n=7 av.=3.43 md=4 dev.=0.79

▣


ě

Definitely disagree

57.1%

Mechanics of Tooth Movement, Stability and Retention (DIN7142) No. of responses = 7 (100%)





Diagnosis and Treatment Planning (DIN7143) No. of responses = 9 (81.82%)



Survey Results Legend Relative Frequencies of answers Median Mean 0% 0% n=No. of responses av.=Mean md=Median dev.=Std. Dev. ab.=Abstention Question text Right pole Left pole Scale Histogram Quality index Mean value is below the Mean is within the range of Mean value is within the Description of quality symbol Mean value is be quality guideline. tolerance for the quality quality guideline. guideline. 1. Rate this module 66.7% 33.3% 0% 0% 0% 1.1) The module is well taught n=9 av.=3.67 md=4 dev.=0.5 Definitely agree Definitely disagree 11.1% 33.3% 0% 33.3% 22.2% n=9 av.=2.56 md=2 dev.=1.24 The criteria used in marking on the module have Definitely agree Definitely disagree been made clear in advance 33.3% I have been given adequate feedback during the n=9 av.=2.78 md=3 dev.=1.09 Definitely agree Definitely disagree module 55.6% 0% 44.4% 0% 0% I have received sufficient advice and support with n=9 av.=3.44 md=3 dev.=0.53 Definitely agree Definitely disagree my studies on the module 0% 66.7% 33.3% 0% 0% n=9 av.=3.67 md=4 dev.=0.5 The module is well organised and runs smoothly Definitely agree Definitely disagree * Õ 11.1% 44 4% 33.3% 11.1% 0% I had access to good learning resources for the n=9 av.=3.56 md=4 dev.=0.88 Definitely agree Definitely disagree • module ĕ 44.4% 55.6% n=9 av.=3.56 md=4 dev.=0.53 Overall I am satisfied with the quality of the Definitely agree Definitely disagree ▣ module ě