
Laparoscopic Procedure Skills (Cholecystectomy) (CAN7005) No. of responses = 6 (100%)





Barts Cancer Institute Endoscopy Skills (CAN7006) No. of responses = 6 (100%)






Site Specific Tumour Treatment (CANM904) No. of responses = 22 (81.48%)



Survey Results Legend Relative Frequencies of answers Median Mean 0% 0% n=No. of responses av.=Mean md=Median dev.=Std. Dev. ab.=Abstention Question text Right pole Left pole Scale Histogram Quality index Mean value is below the Mean is within the range of Mean value is within the Description of quality symbol Mean value is be quality guideline. tolerance for the quality quality guideline. guideline. 1. Rate this module 90.9% 0% 0% 0% 1.1) The module is well taught n=22 av.=4.09 md=4 dev.=0.29 Definitely agree Definitely disagree 90.9% 9.1% 0% 0% 0% n=22 av.=3.91 md=4 dev.=0.29 The criteria used in marking on the module have Definitely agree Definitely disagree been made clear in advance ě 3 68.2% 13.6% I have been given adequate feedback during the n=22 av.=3.64 md=4 dev.=0.79 Definitely agree ¥ Definitely disagree module 21.1% 5.3% 68.4% 5.3% 0% I have received sufficient advice and support with n=19 av.=3.74 md=4 dev.=0.65 Definitely agree Definitely disagree my studies on the module 54.5% 22.7% 4.5% 18.2% n=22 av.=3.86 md=4 dev.=0.77 The module is well organised and runs smoothly Definitely agree Definitely disagree Õ 18.2% 68.2% 13.6% 0% 0% I had access to good learning resources for the n=22 Definitely agree Definitely disagree av.=4.05 md=4 dev.=0.58 module 63.6% 22.7% n=22 av.=3.77 md=4 dev.=0.69 Overall I am satisfied with the quality of the Definitely agree Definitely disagree ▣ module ě


Barts Cancer Institute Ablative Therapy (CANM905) No. of responses = 20 (74.07%)






Barts Cancer Institute Drug Development (CANM906) No. of responses = 35 (102.94%)





Paediatric and Adolescent Oncology (CANM911) No. of responses = 21 (100%)





Cancer Prevention and Screening (CANM912) No. of responses = 28 (80%)

The module is well organised and runs smoothly

I had access to good learning resources for the

Overall I am satisfied with the quality of the

module

module



n=28 av.=3.96 md=4 dev.=0.43

n=28

av.=3.89 md=4 dev.=0.31

n=28 av.=3.93 md=4 dev.=0.66

Õ

•

ĕ

▣

ě

Definitely disagree

Definitely disagree

Definitely disagree

Survey Results Legend Relative Frequencies of answers Median Mean 0% 0% n=No. of responses av.=Mean md=Median dev.=Std. Dev. ab.=Abstention Question text Right pole Left pole Scale Histogram Quality index Mean value is below the Mean is within the range of Mean value is within the Description of quality symbol Mean value is be quality guideline. tolerance for the quality quality guideline. guideline. 1. Rate this module 10.7% 10.7% 75% 3.6% 0% 1.1) The module is well taught Definitely agree Definitely disagree av.=3.93 md=4 dev.=0.6 82.1% 10.7% 0% 0% n=28 av.=3.75 md=4 dev.=0.59 The criteria used in marking on the module have Definitely agree Definitely disagree been made clear in advance ě 67.9% 28.6% I have been given adequate feedback during the n=28 av.=3.64 md=4 dev.=0.56 Definitely agree 1 Definitely disagree module 64.3% 25% 3.6% 0% 7.1% n=28 av.=3.75 md=4 dev.=0.65 I have received sufficient advice and support with Definitely agree Definitely disagree my studies on the module 7.1% 82.1% 10.7% 0% 0%

Definitely agree

Definitely agree

Definitely agree

0%

89.3%

-4

67.9%

10.7%


14.3%

0%

0%

Genomic Approaches to Human Diseases (CANM920) No. of responses = 12 (75%)





Molecular Diagnostics and Therapeutics (CANM921) No. of responses = 7 (70%)



Survey Results Legend Relative Frequencies of answers Median Mean 0% 0% n=No. of responses av.=Mean md=Median dev.=Std. Dev. ab.=Abstention Question text Right pole Left pole Scale Histogram Quality index Mean value is below the quality guideline. Mean is within the range of Mean value is within the Description of quality symbol tolerance for the quality quality guideline. guideline. 1. Rate this module 100% 0% 0% 0% 0% 1.1) The module is well taught Definitely agree Definitely disagree av.=4 md=4 dev.=0 0% 0% 100% 0% 0% The criteria used in marking on the module have n=7 av.=4 md=4 dev.=0 Definitely agree Definitely disagree been made clear in advance 100% 0% I have been given adequate feedback during the Definitely agree Definitely disagree av.=4 md=4 dev.=0 module 100% 0% 0% 0% 0% I have received sufficient advice and support with Definitely agree Definitely disagree av.=4 md=4 dev.=0 my studies on the module 3 0% 100% 0% 0% 0% The module is well organised and runs smoothly n=7 av.=4 md=4 dev.=6 Definitely agree Definitely disagree 0% 100% 0% 0% 0% I had access to good learning resources for the Definitely agree Definitely disagree av.=4 md=4 dev.=0 module 85.7% n=7 av.=4.14 md=4 dev.=0.38 Overall I am satisfied with the quality of the Definitely agree Definitely disagree module

Molecular Pathology of Solid Tumours (CANM924) No. of responses = 18 (100%)



Survey Results Legend Relative Frequencies of answers Median Mean 0% 0% n=No. of responses av.=Mean md=Median dev.=Std. Dev. ab.=Abstention Question text Right pole Left pole Scale Histogram Quality index Mean value is below the quality guideline. Mean is within the range of Mean value is within the Description of quality symbol tolerance for the quality quality guideline. guideline. 1. Rate this module 100% 0% 0% 0% 0% 1.1) The module is well taught Definitely agree Definitely disagree av.=4 md=4 dev.=0 0% 0% 100% 0% 0% n=18 av.=4 md=4 dev.=0 The criteria used in marking on the module have Definitely agree Definitely disagree been made clear in advance 100% 0% I have been given adequate feedback during the n=18 av.=4 md=4 dev.=0 Definitely agree Definitely disagree module 100% 0% 0% 0% 0% I have received sufficient advice and support with Definitely agree Definitely disagree av.=4 md=4 dev.=0 my studies on the module 3 0% 100% 0% 0% 0% n=18 av.=4 md=4 dev.=0 The module is well organised and runs smoothly Definitely agree Definitely disagree 0% 100% 0% 0% 0% I had access to good learning resources for the Definitely agree Definitely disagree av.=4 md=4 dev.=0 module 100% n=18 av.=4 md=4 dev.=0 Overall I am satisfied with the quality of the Definitely agree Definitely disagree module

Introduction to Bioinformatics (CANM933) No. of responses = 12 (92.31%)



