
Care of the Unconscious Patient (WHR7012) No. of responses = 9 (90%)



Legend

Question text



n=No. of responses av.=Mean md=Median dev.=Std. Dev. ab.=Abstention



- Mean value is below the quality guideline.
- Mean is within the range of tolerance for the quality guideline.
- Mean value is within the quality guideline.




Clinical Study Design (WHRM903) No. of responses = 19 (95%)



Legend

Question text



n=No. of responses av.=Mean md=Median dev.=Std. Dev. ab.=Abstention



- Mean value is below the quality guideline.
- Mean is within the range of tolerance for the quality guideline.
- Mean value is within the quality guideline.




Drug Discovery and Pre-Clinical Research and Development (WHRM901) No. of responses = 15 (88.24%)



Legend

Question text



n=No. of responses av.=Mean md=Median dev.=Std. Dev. ab.=Abstention



- Mean value is below the quality guideline.
- Mean is within the range of tolerance for the quality guideline.
- Mean value is within the quality guideline.




Endocrinology: Core Knowledge and Key Skills (WHR7101) No. of responses = 8 (50%)



Legend

Question text




n=No. of responses av.=Mean md=Median dev.=Std. Dev. ab.=Abstention



Description of quality symbol

Mean value is below the quality guideline.

Mean is within the range of tolerance for the quality guideline.




Forensic Pathology (WHRM925) No. of responses = 21 (84%)



Legend

Question text



n=No. of responses av.=Mean md=Median dev.=Std. Dev. ab.=Abstention



- Mean value is below the quality guideline.
- Mean is within the range of tolerance for the quality guideline.
- Mean value is within the quality guideline.




Health and Pharmaco-Economics (WHRM909) No. of responses = 17 (73.91%)



Legend


Question text



n=No. of responses av.=Mean md=Median dev.=Std. Dev. ab.=Abstention



- Mean value is below the quality guideline.
- Mean is within the range of tolerance for the quality guideline.
- Mean value is within the quality guideline.




Hypothalamus and Pituitary (WHR7102) No. of responses = 8 (50%)



Legend

Question text



n=No. of responses av.=Mean md=Median dev.=Std. Dev. ab.=Abstention



Description of quality symbol

Mean value is below the quality guideline.

Mean is within the range of tolerance for the quality guideline.



Legal and Ethical Issues Relevant to Forensic Medicine and Science (WHRM930) No. of responses = 20 (80%)



Legend

Question text



n=No. of responses av.=Mean md=Median dev.=Std. Dev. ab.=Abstention



- Mean value is below the quality guideline.
- Mean is within the range of tolerance for the quality guideline.
- Mean value is within the quality guideline.




Pathophysiological Basis of Critical Illness (WHR7010) No. of responses = 9 (90%)



Legend


Question text



n=No. of responses av.=Mean md=Median dev.=Std. Dev. ab.=Abstention



- Mean value is below the quality guideline.
- Mean is within the range of tolerance for the quality guideline.
- Mean value is within the quality guideline.




Supportive Care for Failing Organ Function (WHR7011) No. of responses = 8 (80%)



Legend

Question text




n=No. of responses av.=Mean md=Median dev.=Std. Dev. ab.=Abstention



Description of quality symbol

Mean value is below the quality guideline.

Mean is within the range of tolerance for the quality guideline.




Thyroid (WHR7103) No. of responses = 8 (50%)



Legend

Question text




n=No. of responses av.=Mean md=Median dev.=Std. Dev. ab.=Abstention



Description of quality symbol

Mean value is below the quality guideline.

Mean is within the range of tolerance for the quality guideline.




Toxicology: from Molecules to Man (WHRM902) No. of responses = 16 (94.12%)



Legend

Question text



n=No. of responses av.=Mean md=Median dev.=Std. Dev. ab.=Abstention



Description of quality symbol

Mean value is below the quality guideline.

Mean is within the range of tolerance for the quality guideline.

